



ZDV3318/3622

ZERO CLEARANCE DIRECT VENT GAS FIREPLACE



THE ULTIMATE IN DESIGN, ENGINEERING & QUALITY

This unit illustrated is a ZDV3622N Zero Clearance Direct Vent Natural Gas Fireplace, with LOGC50 Log Set - Seven Piece - Z1GBL Grill Kit - Black.



ZDV3318/3622

ZERO CLEARANCE DIRECT VENT GAS FIREPLACE

Enjoy the elegance and warmth of glowing embers and dancing flames around our seven piece oak log set. It is sure to be the focal point of your home. Choose from a variety of decorative options to create your own distinctive appearance and be assured of complete safety, comfort and long lasting value. With a fully sealed combustion chamber there is no pollution spillage to depreciate the indoor air quality of your home.



THE ULTIMATE IN DESIGN, ENGINEERING & QUALITY

This unit illustrated is a ZDV3622N Zero Clearance Direct Vent Natural Gas Fireplace, with LOGC50 Log Set - Seven Piece, Z36CVCK Designer Clean View Circulating Kit.

DESIGNER CLEAN VIEW™ OR LOUVERED FIREPLACES

Model	ZDV3318N	ZDV3318LP	ZDV3622N	ZDV3622LP
Fuel	Natural	Propane	Natural	Propane
Input Max.	19,000 BTU	18,000 BTU	21,000 BTU	21,000 BTU
Input Min.	12,100 BTU	11,900 BTU	14,200 BTU	16,200 BTU
FE (P.4.1-02)	53.4%	51.4%	63.9%	60.2%

STANDARD FEATURES*

- Hi/low Millivolt or IPI valve system, will operate during power failures
- Pan burner, with realistic burn
- Mobile Home, Bedroom and Bed Sitting Room approved
- Safety Screen Barrier

OPTIONAL FEATURES

Designer Clean View Circulating Kit

No louvers required

Surrounds Trim Kit – (For Clean View Units)

Black and Stainless Steel (Covers 36" w x 22 1/2" h)



Safety Screen Barrier

Grills

Available in Black, and Classic Series Black with Antique, Chrome, or Polish Brass accents

Surrounds Wide (Louvered Units)

- Coverage
- ZDV3318 – 31 3/16" h x 36 5/8" w
 - ZDV3622 – 34 1/4" h x 41 1/8" w

Surrounds Slim Line (Louvered Units)

- Coverage
- ZDV3318 – 30 7/8" h x 33 7/8" w
 - ZDV3622 – 34 1/4" h x 37 1/2" w

Fan Kit

Heat activated with variable speed control

Wall Mount Thermostat

Standard On/Off or Programmable 5 day (weekday) and 2 day (weekend)

Remote Control

On/Off, Thermostat On/Off, Thermostat On/Off modulating, Thermostat On/Off modulating and fan control



Porcelain Reflective Liner

Metal Brick Liner

LOGC50 Log Set

Seven Piece Oak



Unit illustrated is a ZDV3622N Zero Clearance Direct Vent Fireplace – Natural Gas, with LOGC50 Log Set, Z36GBP Grill Kit – Classic Polish Brass.

UNIT AND FRAMING SPECIFICATIONS (IN.)


Top Flue Models	Height Actual	Height Framing	Width Actual	Width Framing	Depth Actual	Depth Framing
-----------------	---------------	----------------	--------------	---------------	--------------	---------------

LOUVERS

ZDV3318	30 1/2"	31"	32 3/8"	33"	15 3/4"	15 1/4"
ZDV3622	33 1/2"	34"	36"	36 3/8"	15 11/16"	15 1/4"

CLEAN VIEW CIRCULATING KIT (CVCK)

ZDV3318	30 3/8"	33 3/8"	33 9/16"	33 7/8"	18 3/16"	17 3/4"
ZDV3622	33 3/4"	36 3/4"	38 1/16"	38 7/16"	18 11/16"	17 3/4"



* All gas fireplaces manufactured as of January 1, 2015 will include a Safety Screen Barrier.



2340 Logan Avenue
Winnipeg, Manitoba, Canada R2R 2V3
Phone: (204) 632-1962 Fax: (204) 632-1960
www.kingsmanfireplaces.com

Kingsman's Direct Vent models are easily adaptable to our patented Designer Clean View technology or standard louvers. Enjoy an incredible line of options and styles – from contemporary to classic – plus the beauty and pleasure of a cozy fire.



*Components may have to be ordered separately to create a complete unit. Discuss with your local Kingsman dealer for clarification.

Kingsman Fireplaces maintains a program of continuous testing, refinement and improvements of all its products. Some aspect of units shown here may be changed at any time without notice or obligation.
Certification: The models ZDV3318 and ZDV3622 are certified for USA/Canada. Certified to: ANSI Z21.88-2014, CSA 2.33-2014, CGA 2.17-M91 (R2009) Vented Gas Fireplace Heaters.